

A3 B/W MFP

MP 2553SP  
MP 3053SP  
MP 3053AD  
MP 3353SP  
MP 3353AD

Copier  Printer  Facsimile  Scanner

**RICOH**  
imagine. change.



**INSIGHT**

Insight Systems Ltd  
w: [www.insightsystems.co.uk](http://www.insightsystems.co.uk)  
e: [sales@insightsystems.co.uk](mailto:sales@insightsystems.co.uk)  
t: 01732 880600

MP 2553SP

25  
ppm B/W

MP 3053SP

30  
ppm B/W

MP 3053AD

30  
ppm B/W

MP 3353SP

33  
ppm B/W

MP 3353AD

33  
ppm B/W

## Eco-friendly and compact B/W MFPs

Increasing your office productivity while simultaneously reducing your environmental impact may appear to be a paradox, but the MP 2553SP/MP 3053SP/MP 3053AD/MP 3353SP/MP 3353AD enable you to meet both objectives. These A3 black-and-white multifunction printers incorporate Ricoh's latest controller to give you features to transform your productivity. These include Searchable PDF, ID Card Copy, and extensive scan/fax capabilities. At the same time, a short warm-up time, low power consumption and standard duplex make these compact MFPs environmentally responsible.

- Advanced controller powers value-added functionalities
- Energy-saving features reduce operating costs
- Compact, with built-in finisher
- Fast, efficient and productive
- Easy to operate and maintain



# Multi-function; multi-benefit

## Improved productivity

Ricoh's advanced GWNX controller powers features that improve productivity. Save time searching for documents with Searchable PDF. Scan in colour and send to email, folder, USB, SMB, FTP, URL and NCP. To fax, choose from Internet Fax (T.37), IP-Fax, LAN-Fax, PC-Fax, G3-Fax or remote faxing. Network connectivity is built-in as standard, and @Remote gives you internet-based support for remote management.

## Green, from start to finish

The Ricoh line-up has been designed with the environment in mind. Paper-saving features include print preview, quota setting, paperless fax and standard duplex. The Eco Friendly Indicator displays usage status in a pop-up screen. TEC values are extremely low, reducing power consumption and CO2 emissions. In addition, these devices comply with the latest Energy Star and BAM directives.



## Speedy, yet compact

The MP 2553SP/MP 3053SP/MP 3053AD/MP 3353SP/MP 3353AD are up and running in virtually no time at all, thanks to a warm-up time of only 15.5 seconds, and a first copy/print speed of 4.5 seconds. Yet, they are surprisingly compact for such high-spec A3 MFPs. One reason is the built-in finisher which avoids the necessity for an external finisher.

## Remarkably easy to use

Operating these MFPs is a delight. The large, tiltable LCD screen displays clear, animated menus with buttons that are easy to read and use. The screen can be customised for each user with selectable icons, and the keyboard is available in QWERTY or AZERTY. Routine troubleshooting and maintenance tasks are performed simply via full front access. They print from USB memory stick or SD card, while the HDD has a high memory capacity which saves you time during printing.



# MP 2553SP/MP 3053SP/MP 3053AD/MP 3353SP/MP 3353AD

## MAIN SPECIFICATIONS

### GENERAL

Warm-up time:	15 seconds
First output speed:	4.2 seconds
Continuous output speed:	25/30/30/33/33 pages per minute
Memory:	Standard: 1,536/1,536/512/1,536/512 MB
HDD:	250 GB (Option)
Dimensions (W x D x H):	587 x 675 x 710 mm
Weight:	75 kg
Power source:	220 - 240 V, 50/60 Hz

### COPIER

Copying process:	Laser beam scanning and electro-photographic printing
Scanning element:	One-dimensional solid scanning through CCD
Multiple copying:	Up to 999 copies
Resolution:	600 dpi
Zoom:	From 25% to 400% in 1% steps

### PRINTER (MP 3053SP, MP 3353SP) (Option)

Printer language:	Standard: PCL5e, PCL6, XPS, PDF direct print Option: Adobe® PostScript® 3™
Print resolution:	600 x 600 dpi
Interface:	Standard: USB 2.0, SD slot, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T Option: Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth
Network protocol:	TCP/IP (IP v4, IP v6), IPX/SPX (Option)
Windows® environments:	Windows® XP, Windows® Vista, Windows® 7, Windows® 8, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012
Mac OS environments:	Macintosh OS X v10.5 or later
UNIX environments:	UNIX Sun® Solaris, HP-UX, SCO OpenServer, RedHat® Linux, IBM® AIX
Novell® Netware® environments:	v6.5 (Option)
SAP® R/3® environments:	SAP® R/3®
Other supported environments:	NDPS Gateway, AS/400® using OS/400 Host Print Transform, IBM iSeries

### SCANNER

Scanning speed:	Full colour: Maximum 80 originals per minute Maximum 80 originals per minute 300 dpi: B/W
Resolution:	Maximum: 600 dpi
Original size:	A3, A4, A5, B4, B5
Bundled drivers:	Network TWAIN
Scan to:	E-mail, Folder, SMB, FTP, URL, NCP

### FAX (Option)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Resolution:	8 x 3.85 line/mm, 200 x 100 dpi 8 x 7.7 line/mm, 200 x 200 dpi
Transmission speed:	G3: 2 second(s) (200 x 100 dpi, JBIG)
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	1 second(s)
Memory capacity:	Standard: 4 MB Maximum: 28 MB

### PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A3, A4, A5, A6, B4, B5, B6 Bypass tray: A3, A4, A5, A6, B4, B5, B6
Paper input capacity:	Maximum: 3,150 sheets
Paper output capacity:	Maximum: 1,600 sheets
Paper weight:	Standard paper tray(s): 52 - 157 g/m <sup>2</sup> Bypass tray: 52 - 157 g/m <sup>2</sup>

### ECOLOGY

Power consumption:	Maximum: 1,600 W Ready mode: 152/152//152 W Sleep mode: 0.61/0.61/0.61 W TEC (Typical Electricity Consumption): 1,303/1,674//1,826 W/h
--------------------	---

### SOFTWARE

Standard:	SmartDeviceMonitor, Web SmartDeviceMonitor®, Web Image Monitor
Optional:	GlobalScan NX, Card Authentication Package, Unicode Font Package for SAP, Remote Communication Gate S Pro

### OPTIONS

ADF handle, 1 x 550-sheet paper tray, 2 x 550-sheet paper tray, 2,000-sheet large capacity tray, Bridge unit, 1,000-sheet finisher, Internal finisher, 1,000-sheet booklet finisher, Punch kit for booklet finisher, Punch kit for internal finisher, Internal shift tray, One-bin tray, Caster table, Low cabinet, Printer/Scanner option, Printer unit, Scanner enhance option, Hard Disk Drive, Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, Netware, PostScript3, Browser unit, File format converter, Key counter bracket, Card reader bracket, Copy Data Security Unit, Fax Connection Unit, 2nd Super G3 port, Fax memory, Fax option, Unicode Font Package for SAP, OCR Unit, Smart Card Reader Built-in Unit, Finisher adapter

### CONSUMABLES

Toner capacity:	Black: 11,000 prints
-----------------	----------------------

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2013 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.

**RICOH**  
imagine. change.

[www.ricoh-europe.com](http://www.ricoh-europe.com)



Insight Systems Ltd

w: [www.insightsystems.co.uk](http://www.insightsystems.co.uk)  
e: [sales@insightsystems.co.uk](mailto:sales@insightsystems.co.uk)  
t: 01732 880600