



[PRINT SPECS ↓](#)

imagePRESS C10000VP

Main Engine Specifications

Type	Electrophotography
Printing Resolution	Up to 2400 x 2400 dpi
Maximum Paper Size	13" x 19.2"
Minimum Paper Size	7.2" x 7.2"
Standard Paper Capacity	Up to 2,000 Sheets
Maximum Paper Capacity	Up to 10,000 Sheets
Paper Weight	16 lb Bond to 130 lb Cover (60-350 gsm) / 400 gsm validated stocks supported
Power Requirements	3-Phase 208V/30A + Single Phase 208V/20A
Dimensions (H x W x D)	57.3" x 101.8" x 45.4"

Print Speed

8.5 x 11	Up to 100 ipm
11 x 17	56.2 ipm
12 x 18	53.5 ipm
13 x 19	51 ipm

Duplex Color Image Reader

Description	Single-pass duplex document feeder and black & white/colour scanner (DADF)
Scan Method	CCD Scanner; Automatic Paper Size Detection: Statement, Letter, Legal, 11 x 17
Scan Speed - Simplex - 600dpi	Colour - 70ipm / BW - 120ipm
Scan Speed - Simplex - 300dpi	Colour - 120ipm / BW - 120ipm
Scan Speed - Duplex - 600dpi	Colour - 70ipm / BW - 120ipm
Scan Speed - Duplex - 300dpi	Colour - 140ipm / BW - 200ipm
Feeder Capacity	300 Sheets (20 lb Bond)
Paper Weight	16lb bond to 80lb Cover (60-216gsm)
Power Source	From Main Unit

POD Deck-D1

Description	Air Assist + Air Suction Paper Feeding
--------------------	--

Paper Capacity	Up to 4,000 Sheets
Paper Size	7.2" x 7.2" to 13" x 19.2"
Paper Weight	16lb Bond to 13 lb Cover (60-350 gsm) / 400 gsm validated stocks supported
Power Source	208V/15A
Dimensions (H x W x D)	43.1" x 38.7" x 31.2"

Secondary POD Deck-D1

Description	Air Assist + Air Suction Feeding
Paper Capacity	Up to 4,000 Sheets
Paper Size	7.2" x 7.2" to 13" x 19.2"
Paper Weight	16lb Bond to 13 lb Cover (60-350 gsm) / 400 gsm validated stocks supported
Power Source	From POD Deck-D1
Notes	POD Deck-D1 is required for this accessory.

POD Deck Lite-C1

Description	Air Assist Paper Feeding
Paper Capacity	Up to 3,500 Sheets
Paper Size	7.2" x 7.2" to 13" x 19.2"
Paper Weight	16lb Bond to 13 lb Cover (60-350 gsm) / 400 gsm validated stocks supported
Power Source	

120V/15A

Dimensions (H x W x D) 22.4" x 25.8" x 27.0"

Staple Finisher-AN1 / Saddle Finisher-AN2

Paper Size - Stapling 11x17, LGL, LTR-R, EXEC, LTR, Custom size (8.3x11 - 13 x19.2)

Paper Size - Booklets 11x17, LGL, LTR-R, 12x18, 13x19, Custom size (8.3 x 11 - 13 x 19.2)

Paper Weight Saddle Stitch Mode 16 lb. Bond to 110 lb. Cover (60gsm to 300gsm)

Upper Tray Capacity Up to 1,000 Sheets (20 lb Bond)

Lower Tray Capacity Up to 4,000 Sheets (20 lb Bond)

Saddle Stitch Tray 30 Booklets or Limitless

Staple Positions Corner-Stapling, Double-Stapling

Stapling Capacity Up to 100 Sheets (Letter)

Booklet Stapling Capacity Up to 25 Sheets Saddle-Stitched

Power Source 120V / 15A

Dimensions (H x W x D) 46.5" x 35" x 31.2"

Puncher Unit-BS1

Description Optional 2/3 Hole Punch for Staple Finisher-AN1 / Saddle Finisher-AN2

Paper Size - 2-Hole Punch LTR-R, LGL, Custom (7.2 x 7.2 to 13 x 19.2)

Paper Size - 3-Hole Punch 11x17, LTR, Custom size (7.2 x 7.2 to 13 x 19.2)

Paper Weight 16 lb Bond to 110 lb Cover (60 gsm to 300 gsm)

Power Requirements From Finisher

Multifunction Professional Puncher-A1

Paper Size - Punch 11x17, 12X18, LTR, LGL, LTRR, STMT

Paper Size - Crease 11x17, 12X18, 13x19.2, LGL, LTRR

Paper Weight - Uncoated 75-300gsm (20lb. Bond - 110lb. Cover)

Paper Weight - Coated 120-300gsm (32lb. Bond - 110lb. Cover)

Punch Patterns Loose Leaf 3-Hole/5-Hole, Velo Bind 11-Hole, Plastic Comb 19-Hole, Twin Loop 21-Hole/32-Hole, Colour Coil 44-Hole, Crease

Power Requirements 120V / 15A

Dimensions (H x W x D) 41" x 17.5" x 31.5"

Booklet Trimmer-D1

Margin Trimming Fore-Edge Trim

Trim Amount 0.08" to 0.78" (2mm to 20mm)

Trim Thickness Up to 25 sheets (50 sheets folded)

Waste Tray Capacity 1,500 sheets with 0.78" Trim (20 lb Bond)

Paper Weight 16 lb. Bond to 110 lb. Cover (60gsm to 300gsm)

Output Tray Capacity 30 Booklets

Power Consumption	From Saddle Finisher-AN2
--------------------------	--------------------------

Dimensions (H x W x D)	40.9" x 62.1" x 30.3"
-------------------------------	-----------------------

Two-Knife Trimmer-A1

Margin Trimming	Top and Bottom Trim
------------------------	---------------------

Trim Amount	0.08" to 0.59" (2mm to 15mm)
--------------------	------------------------------

Trim Thickness	up to 25 sheets (50 sheets folded)
-----------------------	------------------------------------

Waste Tray Capacity	30 Booklets
----------------------------	-------------

Paper Weight	16 lb Bond to 110 lb Cover (60gsm to 300gsm)
---------------------	--

Output Tray Capacity	30 Booklets
-----------------------------	-------------

Power Requirements	120V/15A
---------------------------	----------

Dimensions (H x W x D)	40.9" x 21.1" x 30.3"
-------------------------------	-----------------------

Document Insertion Unit-N1

Upper Tray Capacity	Up to 200 Sheets (20 lb. Bond)
----------------------------	--------------------------------

Lower Tray Capacity	Up to 200 Sheets (20 lb. Bond)
----------------------------	--------------------------------

Paper Weight	14 lb. Bond to 110 lb. Cover (52 gsm to 300 gsm)
---------------------	--

Paper Size	11" x 17", 12" x 18", 13" x 19", LGL, LTR, LTR-R, EXEC, Custom Size (7.2" x 7.2" to 13" x 19.2")
-------------------	--

Paper Folding Unit-J1

Double Parallel Fold	Legal, Letter-R
C / Accordion Fold	Letter-R
Z-Fold	11" x 17"
Supported Media Weight	14 lb. Bond to 28 lb. Bond (50 gsm to 105 gsm)
Power Source	From Finisher
Dimensions (H x W x D)	46.87" x 13.25" x 31.25"

High-Capacity Stacker-H1

Offset Stack Capacity	Up to 6,000 Sheets (20 lb. Bond)
Top Tray Capacity	Up to 200 Sheets (20 lb. Bond)
Paper Size	7.2" x 7.2" to 13" x 19.2"
Paper Weight	14 lb. Bond to 110 lb. Cover(52 gsm to 300 gsm)
Maximum Connectivity	2 Units
Dimensions (H x W x D)	40.9" x 35.4" x 29.3"
Power Source	120V / 15A

Perfect Binder-E1

Cutting Method	3-Side Cut/1-Side Cut/No Cut
Finished Book Size	5.4" x 7.99" to 8.5" x 11.69"
Book Thickness	10 to 200 Sheets (20 lb. Bond) (up to 0.98")

Body Paper Weight	14 lb. Bond to 43 lb. Bond (52 gsm to 163 gsm)
Cover Paper Weight	28 lb. Bond to 110 lb. Cover (90 gsm to 300 gsm)
Trim Range - Top/Bottom	0.26" to 1.56"
Trim Range - Side	0.26" to 1.95"
Dimensions (H x W x D)	53.5" x 36.3" x 31.1"
Power Source	208 V/15 A

Consumables

Toner T02 Toner

Toner Yield - Black 44,000 Copies / Bottle at 8.5% Coverage

Toner Yield - Colour 43,000 Copies / Bottle at 8.5% Coverage

Notes The imagePRESS C10000VP has capacity to hold 2 toner bottles worth of toner per colour at a time