

DOWNLOAD SPECS

imageFORCE 1440F

PRINTER SPECIFICATIONS

Technology/Type	Laser/A4 Monochrome Multifunctional Desktop Printer
Core Functions	Print, Copy, Scan, Send, and Fax
Print Speed (BW)	Up to 42 ppm (Letter)[10]
Copy Speed (BW)	Up to 42 ppm (Letter)
First-Print-Out Time (Letter, BW)	Approx. 4.9 Seconds
Scan Speed (Letter)	Copy (300 x 600 dpi): • Single-Sided Scanning (BW): 40 ipm • Single-Sided Scanning (CL): 20 ipm • Double-Sided Scanning (BW): 80 ipm • Double-Sided Scanning (CL): 40 ipm Send (300 x 300 dpi):

	• Single-Sided Scanning (BW): 50 ipm • Single-Sided Scanning (CL): 40 ipm • Double-Sided Scanning (BW): 100 ipm • Double-Sided Scanning (CL): 80 ipm
Memory	1.0 GB RAM
Warm-up Time	From Power On: 14 Seconds or Less[11] From Sleep Mode: 4 Seconds or Less
Paper Capacity (Letter, 20 lb. Bond)	Standard: 250 Sheets Maximum: 950 Sheets
Supported Media Types	Cassettes: Thin, Plain, Thick, Recycled, Colour, Bond, Letterhead, Label, Postcard, Envelope Multi-Purpose Tray: Thin, Plain, Thick, Recycled, Colour, Bond, Letterhead
Supported Media Sizes	Cassettes: Letter, Legal, Statement, Executive, Government Letter, Government Legal, Custom Size (4-1/8" x 5-7/8" to 8-1/2" x 14") Multi-Purpose Tray: Letter, Legal, Statement, Executive, Government Letter, Government Legal, Index Card, Envelopes [No. 10(COM10), Monarch, ISO-C5, DL], Custom Size (3" x 5" to 8-1/2" x 14")
Supported Media Weights	Cassettes: 16 lb. Bond to 44.4 lb. Cover (60 to 120 gsm) Multi-Purpose Tray: 16 lb. Bond to 73.6 lb. Cover (60 to 199 gsm) Duplex: 16 lb. Bond to 44.4 lb. Cover (60 to 120 gsm)
Dimensions (W x D x H)	16-1/2" x 18-1/8" x 14-3/4" (420 x 460 x 375 mm)
Weight	Standard: Approx. 37.3 lb. (16.9 kg)[12]
Interface Connections	NETWORK Standard: 1000Base-T/100Base-T/10-Base-T, Wireless LAN (IEEE 802.11 b/g/n) OTHERS Standard: USB 2.0 (Host) x2, USB 2.0 (Device) x1
Paper Sources (Letter, 20 lb. Bond)	Standard: 250-Sheet Paper Cassette, 100-Sheet Multi-Purpose Tray Optional: 550-Sheet Paper Cassettes (Cassette Unit-AH1)

Output Capacity (Letter, 20 lb. Bond)	Standard: 150 Sheets
Installation Space (W x D)	Fully Configured: 16-1/2” x 34-3/4” (420 x 881 mm) (Cassette and Back Door Opened)
Environmental Standard	ENERGY STAR® certified EPEAT Silver