



imageRUNNER C3326i

# RELIABILITY, SECURITY AND HIGH PRODUCTIVITY FROM A COLOUR A3 MULTIFUNCTION PRINTER

Maximise uptime and simplify maintenance with unrivalled device durability



**PRODUCTIVITY**



**SECURITY**



**CONTROL AND  
MAINTENANCE**



**USER EXPERIENCE**



**CLOUD  
CONNECTIVITY**



**SUSTAINABILITY**

**Canon**

---

# imageRUNNER C3326i



## PRODUCTIVITY

- Fast warm-up time starts print production more quickly
- Print a wide variety of media types and sizes, continuously in high-volume
- Personalise the user display configuration to enhance document processing efficiency
- Streamline document post-production with optional finishing options, including eco-staple, staple and punch
- Optional encrypted SSD storage extends data storage and is more resistant to vibration and shock for increased reliability



## USER EXPERIENCE

- Easy to use 7-inch/17.8cm touchscreen provides excellent visibility and usability for intuitive handling
- Optimise print, copy, scan and send document workflows to one-touch operation
- Combine multiple settings into one button for super-fast document processing
- Repeat previous jobs at the touch of a button with Timeline setting history



## SECURITY

- Verify System at start up supporting Platform Firmware Resiliency (NIST SP800-193) and Automatic Recovery, SIEM support and McAfee Embedded Control analyse the device in real-time to detect and prevent external attacks

- Set up device authentication, two-factor authentication and device function restrictions for both device and cloud-based security measures
- Optional Encrypted SSD storage extends data protection and is more resistant to vibration and shock for increased reliability
- Upgrade to uniFLOW Online\* for enhanced secure printing, mobile printing, and guest printing from any device
- Data privacy across your network is ensured with IPSec, port filtering and TLS 1.3 & WPA3 support
- Step-up security further with easy-to-programme Security Navigator or let Canon's experts create best solution for your business environment



## CLOUD CONNECTIVITY

- Save scanned documents to your email or Google Drive/Google Workspace using personalised workflows with uniFLOW Online Express
- File Assist automatically names, sorts and create a folder structure for files
- Print wirelessly from mobile devices, with support for Apple AirPrint and Mopria
- Add extra functionality to mobile printing and scanning with Canon's PRINT Business app



## CONTROL AND MAINTENANCE

- Centrally manage all devices on the network with cloud-based remote management options
- Remote Operators Software Kit provides alternative access to device for remote operation of all system functions
- Compatibility with Canon's uniFLOW software solutions allows for tracking and reporting of print jobs
- e-Maintenance can improve uptime through remote diagnostics, automated meter readings and consumables monitoring



## SUSTAINABILITY

- Edit print settings at device-level to reduce paper and toner wastage
- Converting document to digital files minimises paper usage
- Eco-stapling option allows for further reduction of consumables
- Energy saving features, such as Sleep Mode help to decrease power consumption
- Better typical energy consumption (TEC value) compared to previous series minimises running costs

\*uniFLOW Online is available as a Device Based Cloud Subscription for Document Output and Capture Management. Based on business needs, users can upgrade to uniFLOW Online to unlock a range of advanced benefits, including: Increased security with user authentication methods. Personalised workflows to enhance productivity. Reduced wastage by releasing jobs at the device. An intuitive cloud dashboard to leverage real-time data. Greater control over access and usage to reduce print costs.


## QUICK FACTS

- Print, Copy, Scan and Send
- 7-inch/17.8cm WVGA colour touchscreen
- One-touch operation with Timeline and Shared/Personal buttons
- Print speed of up to 26ppm
- Support for a wide range of media types and sizes
- uniFLOW Online Express\* cloud-based print management solution
- Automatic file naming, sorting and folder structure with Filing Assist\*\*
- Document, device and network security from McAfee Protected Control, TLS1.3, WPA3 and SIEM support
- Easy maintenance with automatic firmware updates
- Finishing options include eco staple, staple and punch

\*requires activation

\*\*available with subscription to uniFLOW Online Cloud based print management solution

## TAILORED SOLUTIONS TO MEET EVERY CHALLENGE




Canon's Digital Transformation Services (DTS), bring together our leading hardware and software into an integrated technology ecosystem, designed to support your transformation journey. This offering combines Managed Print Services and Workspace Collaboration solutions, to help you gain transparency and control over the entire document lifecycle.

# Canon

## imageRUNNER C3326i

# RELIABILITY, SECURITY AND HIGH PRODUCTIVITY FROM A COLOUR A3 MULTIFUNCTION PRINTER

### MAIN CONFIGURATION OPTIONS



This flat configuration is for illustration purpose only. For a complete list of options and the exact compatibility relationships, please refer to the product configurator.

**Canon**

## TECHNICAL SPECIFICATIONS

## imageRUNNER C3326i

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>MAIN UNIT</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Direct Print</b>                            | Supported file types:<br>RUI: PDF, EPS, TIFF/JPEG, XPS<br>USB Memory: PDF, TIFF/JPEG, XPS<br>Network Place: PDF, TIFF/JPEG, XPS                                                                                                                                                                                                                                                                                                             |
| <b>Machine type</b>                       | A3 Colour Laser Multifunctional                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Printing from mobile and cloud</b>          | AirPrint, Mopria, Canon PRINT Business, uniFLOW Online and Universal Print by Microsoft                                                                                                                                                                                                                                                                                                                                                     |
| <b>Core functions</b>                     | Print, Copy, Scan, Send and Optional Fax                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                | A range of software solutions is available to provide printing from mobile devices and cloud-based services depending on your requirements. Please contact your sales representative for further information                                                                                                                                                                                                                                |
| <b>Processor</b>                          | 1.6 GHz Dual Core Processor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Control Panel</b>                      | 17.8 cm/7 inch TFT LCD WVGA Colour Touch panel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Memory</b>                             | Standard: 2.0GB RAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>OS Standard Printing</b>                    | Android/Windows® 10/Windows® 11/Chrome OS/macOS (11.2.2 or later), iOS (15.2 or later), iPadOS                                                                                                                                                                                                                                                                                                                                              |
| <b>Storage</b>                            | Standard: (eMMC) 64GB<br>Optional: (SSD) 256GB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Fonts</b>                                   | PS fonts: 136 Roman<br>PCL fonts: 93 Roman, 10 Bitmap fonts, 2 OCR fonts, Andale Mono WT<br>J/K/S/T* (Japanese, Korean, Simplified and Traditional Chinese), Barcode fonts**<br>*1 Requires optional PCL INTERNATIONAL FONT SET-A1<br>**2 Requires optional BARCODE PRT KIT-D1                                                                                                                                                              |
| <b>Interface Connection</b>               | NETWORK<br>Standard: 1000Base-T/100Base-TX/10Base-T, Wireless LAN (IEEE802.11b/g/n)<br>OTHERS<br>Standard: USB 2.0 (Host) x 2, USB 2.0 (Device) x 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Paper Supply capacity (A4, 80gsm)</b>  | Standard: 1,200 Sheets<br>Maximum: 2,300 Sheets (with optional Cassette Feeding Unit-AW1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <b>Print Features</b>                          | Secure Print, Secure Watermark, Header/Footer, Page Layout, Two-sided Printing, Mixed Paper Sizes/ Orientations, Toner Reduction, Poster Printing, Forced hold printing, Print Date, Scheduled Printing, Printing Using a Virtual Printer                                                                                                                                                                                                   |
| <b>Paper output capacity (A4, 80gsm)</b>  | Standard: 250 Sheets<br>Maximum: 650 Sheets (with optional Inner Finisher-L1 and Copy Tray-T1)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | <b>Operating System</b>                        | UFR!!: Windows® 8.1/10/11/Server2012/Server2012 R2/Server2016/Server2019/Server2022, Mac OS X (10.11 or later)<br>PCL: Windows®8.1/10/11/Server2012/Server2012 R2/Server2016/Server2019/Server2022<br>PS: Windows®8.1/10/11/Server2012/Server2012 R2/Server2016/Server2019/Server2022, Mac OS X (10.11 or later)<br>PPD: Windows® 8.1/10/11, Mac OS X (10.11 or later)                                                                      |
| <b>Finishing capabilities</b>             | Collate, Group, Offset, Staple, Hole Punch, Eco Staple, Staple On Demand<br>* Finishing capabilities vary, depending on the options selected                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Supported Media Types</b>              | Multi-purpose Tray:<br>Thin, Plain, Heavy*, Recycled, Coated, Colour, Tracing, Bond, Transparency, Label, Pre-punched, Letterhead, Envelope<br>* SRA3 is unsupported for Coated (257-300gsm) and Heavy (257-300gsm) paper<br><br>Upper Cassette:<br>Thin, Plain, Recycled, Colour, Heavy, Bond, Transparency, Pre-punched, Letterhead, Envelope*<br>* Envelope Feeder Attachment Kit B (standard) is required.<br><br>Lower Cassette:<br>Thin, Plain, Heavy, Recycled, Colour, Bond, Transparency, Pre-punched, Letterhead, Envelope*<br>* Envelope Attachment Kit A (standard) is required.                                  | <b>COPY SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Supported media sizes</b>              | Multi-purpose Tray:<br>12"x18", 11"x17", Legal, Letter, Letter-R, Executive, Statement, Statement-R<br><br>Custom Size/Free Size: 4" x 5-7/8" to 12" x 18", Envelopes (COM10 No.10, Monarch, ISO-C5, DL), Envelope Custom Size ( 3-7/8" x 3-7/8" to 12-5/8" x 18")<br><br>Upper Cassette: Letter, Executive, Statement-R Custom Size (4-1/8" x 5-7/8" to 11-3/4" x 8-1/2"), Envelopes (ISO-C5) Lower Cassette:12" x 18", 11" x 17", Legal, Letter, Letter-R, Executive, Statement-R, Custom Size (4-1/8" x 5-7/8" to 12" x 18"), Envelopes6 (COM10 No.10, Monarch, DL)<br>* Envelope Attachment Kit A (standard) is required. | <b>Copy Speed</b>                              | 1-sided (BW/CL):<br>Up to 26/26 ppm (Letter), Up to 20/20 ppm (Letter-R),Up to 15/15 ppm (Legal/11"x17")<br>2-sided (BW/CL):<br>Up to 13/13 ppm (Letter), Up to 10/10 ppm (Letter-R),<br>Up to 7/7 ppm (Legal/11"x17")<br>(BW/CL): Approx. 7.0 / 8.7 seconds or less                                                                                                                                                                        |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>First-Copy-Out Time</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Copy resolution (dpi)</b>                   | 600 x 600                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Multiple Copies</b>                         | Up to 999 copies                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Copy Density</b>                            | Automatic or Manual (9 Levels)                                                                                                                                                                                                                                                                                                                                                                                                              |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Magnification</b>                           | 25% - 400% (1% Increments)<br>Preset reduction/enlargement: 25%, 50%, 70%, 100%, 141%, 200%, 400%                                                                                                                                                                                                                                                                                                                                           |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Copy Features</b>                           | Preset R/E Ratios by Area, Two-Sided, Density Adjustment, Original Type Selection, Interrupt Mode, Book to Two Pages, Two-sided Original, Sort, Job Build, N on 1, Different Size Originals, Sharpness, Erase Frame, Copy ID Card, Skip Blank Pages, Free Size Original, Colour Mode, Reserved copy, Copy Sample                                                                                                                            |
| <b>Supported media weights</b>            | Multi-purpose tray: 52 to 300 gsm<br>Upper/Lower Cassette: 52 to 256 gsm<br>Duplex: 52 to 220 gsm<br>4 Seconds or Less*<br>*Time from device power on to when copy icon appears and is enabled to operate on the touch panel display<br>From Sleep Mode: 10 Seconds or Less<br><br>10 Seconds or Less*<br>*Time from device power on, until copy ready (not print reservation)                                                                                                                                                                                                                                                | <b>SCAN SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Warm-Up Time (Quick start mode:ON)</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Type</b>                                    | Standard: Duplexing Automatic Document Feeder [2-sided to 2-sided]                                                                                                                                                                                                                                                                                                                                                                          |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Document Feeder Paper Capacity (80 gsm)</b> | Up to 100 sheets                                                                                                                                                                                                                                                                                                                                                                                                                            |
|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Acceptable Originals and weights</b>        | Platen: Sheet, Book and 3-Dimensional objects<br>Document Feeder media weight :<br>1-sided scanning: 30 to 128 gsm (BW), 64 to 128 gsm (CL)<br>2-sided scanning: 50 to 128 gsm (BW), 64 to 128 gsm (CL)<br>Platen: max. scanning size: 297.0 x 431.8 mm<br>Document Feeder media size:<br>11" x 17", Legal, Letter, Letter-R, Statement, Statement-R, Custom Size: 2-3/4" x 5-1/2" to 12" x 17" (69.9 mm x 139.7 mm to 304.8 mm x 431.8 mm) |
| <b>Dimensions (W x D x H)</b>             | 565 x 687 x 891 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Installation Space (W x D)</b>         | 1168 x1116 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Weight</b>                             | Approx. 74.7 kg including toner                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>Supported media sizes</b>                   |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>PRINT SPECIFICATIONS</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Print Speed</b>                        | 1-sided (BW/CL):<br>Up to 26/26 ppm (Letter), Up to 20/20 ppm (Letter-R),Up to 15/15 ppm (Legal/11"x17")<br><br>2-sided (BW/CL):<br>Up to 26/26 ipm (Letter), Up to 20/20 ipm (Letter-R), Up to 15/15 ipm (Legal/11"x17")                                                                                                                                                                                                                                                                                                                                                                                                     |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Print Resolution (dpi)</b>             | Up to 1200 x1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Page description languages</b>         | Standard: UFR II, PCL6<br>Optional: Adobe® PostScript® 3™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                             |

**Canon**

# TECHNICAL SPECIFICATIONS

# imageRUNNER C3326i

|                                               |                                                                                                                                                                                                                                                                                                        |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Scan Speed</b>                             | DADF (ipm: BW/CL, A4):<br>1-sided Scanning: 70/70 (300 dpi, send),<br>51/42 (600 dpi, copy)<br>2-sided Scanning: 35/35 (300 dpi, send),<br>25.5/25.5 (600 dpi, copy)                                                                                                                                   | <b>SECURITY<br/>SPECIFICATIONS</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Scan Resolution (dpi)</b>                  | Scan for Copy: up to 600 x 600<br>Scan for Send: (Push,BW) up to 600 x 600,<br>(Pull,BW) up to 600 x 600<br>(Push,CL) up to 300 x 300,<br>(Pull,CL) up to 300 x 300<br>Scan for Fax: up to 600 x 600                                                                                                   | <b>Authentication and<br/>Access Control</b> | User Authentication (Picture Login, Picture and<br>PIN Login, Username and Password Login,<br>Function Level Login, Mobile Login), Department<br>ID Authentication (Department ID and PIN Login,<br>Function Level Login), uniFLOW Online Express<br>(PIN Login, Picture Login, Picture and PIN Login,<br>Card Login, Card and PIN Login, Username and<br>Password Login, Department ID and PIN Login,<br>Function Level Login), Access Management<br>System (Access Control)                                                                                                                                            |
| <b>Pull Scan Specifications</b>               | Colour Network ScanGear2. For both TWAIN<br>and WIA Supported OS: Windows® 8.1/10/11/<br>Server2012/Server2012 R2/Server 2016/Server<br>2019/Server2022                                                                                                                                                | <b>Document Security</b>                     | Print Security (Secure Print, Encrypted Secure<br>Print, Forced Hold Printing, uniFLOW Secure<br>Print*), Recieve Data Security (Confidential Fax<br>Inbox Forwarding Received Documents<br>Automatically), Scan Security (Encrypted PDF,<br>Device Signature PDF/XPS, User Signature PDF/<br>XPS*), Send Data Security (Restricted E-mail/<br>File send functions, Confirming FAX number,<br>Allow/Restrict Fax Driver Transmissions, Allow/<br>Restrict Sending from History, S/MIME Support)<br>*1 Requires optional uniFLOW Online / uniFLOW<br>*2 Requires optional Universal Send Digital User Signature<br>Kit-C1 |
| <b>Scan Method</b>                            | PushScan, PullScan, Scan to Network, Scan to<br>USB Memory Key, Scan to Mobile device, Scan to<br>cloud-based services (uniFLOW Online/Online<br>Express)                                                                                                                                              |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>SEND SPECIFICATIONS</b>                    |                                                                                                                                                                                                                                                                                                        | <b>Network Security</b>                      | TLS 1.3, IPsec, IEEE802.1X authentication, SNMP<br>V3.0, WPA3 support, Firewall Functionality (IP/<br>MAC Address Filtering), Dual Network Support<br>(Wired LAN/Wireless LAN, Wired LAN/Wired<br>LAN), Disabling/Enabling (Network Protocols/<br>Applications, Remote UI, USB Interface), G3 FAX<br>separation from LAN, USB Port separation from<br>LAN, Scan and Send -Virus Concerns for E-mail<br>Reception                                                                                                                                                                                                         |
| <b>Destination</b>                            | Standard: E-mail/Internet FAX (SMTP), SMB3.1.1,<br>FTP, WebDAV, Optional: Super G3 FAX                                                                                                                                                                                                                 |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Address Book</b>                           | LDAP (2,000)/ Local (1,600) /Speed dial (200)                                                                                                                                                                                                                                                          | <b>Device Security</b>                       | Standard Storage Initialize, Job Log Conceal<br>Function, Protecting MFP Software Integrity,<br>Checking MFD Software Integrity & Platform<br>Firmware Resiliency (NIST SP800-193) with<br>Automatic System Recovery (Verify System at<br>Startup, Runtime Intrusion Detection enabled<br>with McAfee Embedded Control),                                                                                                                                                                                                                                                                                                 |
| <b>Send resolution (dpi)</b>                  | Push: 100 x 100, 150 x 150, 200 x 100 (Normal),<br>200 x 200 (Fine), 200 x 400*(SuperFine), 300 x<br>300, 400 x 400*(UltraFine), 600 x 600*<br>Pull: 75 x 75, 100 x 100, 150 x 150, 200 x 200,<br>300 x 300, 400 x 400*, 600 x 600*<br>*Colour mode is black and white only                            | <b>Device Management and<br/>Auditing</b>    | Administrator Password, Digital Certificate and<br>Key Management, Audit Log, Cooperating with<br>External Security Audit System (Security<br>Information and Event Management), Security<br>Policy Setting, Remote Management Two-factor<br>Authentication                                                                                                                                                                                                                                                                                                                                                              |
| <b>Communication protocol</b>                 | File: FTP (TCP/IP), SMB3.1.1 (TCP/IP), WebDAV<br>Email/iFax: SMTP (send), POP3 (receive)                                                                                                                                                                                                               |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>File Format</b>                            | Standard: TIFF (MMR), JPEG *, PDF (Compact,<br>Searchable, PDF/A-1b, Encrypted), XPS<br>(Compact, Searchable), PDF/XPS (Device<br>Signature, Office Open XML (PowerPoint, Word)<br>Optional: PDF (Trace & Smooth), PDF/XPS (User<br>Signature)<br>*Single page only                                    | <b>ENVIRONMENTAL<br/>SPECIFICATIONS</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Universal Send Features</b>                | Original Type Selection, Two-sided Original, Book<br>to Two Pages, Different-size Originals, Density<br>Adjustment, Sharpness, Erase Frame, Job Build,<br>Delayed Send, Preview, Job Done Notice, File<br>Name, Subject/Message, Reply-to, E-mail Priority,<br>TX Report, Original Content Orientation | <b>Operating Environment</b>                 | Temperature: 10 to 30 °C<br>Humidity: 20 to 80% RH (Relative Humidity)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>FAX SPECIFICATIONS</b>                     |                                                                                                                                                                                                                                                                                                        | <b>Power source</b>                          | 220-240V 50/60Hz 4A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Maximum Number of<br/>Connection Lines</b> | 1                                                                                                                                                                                                                                                                                                      | <b>Power consumption</b>                     | Maximum: Approx. 1,500 W<br>Standby: Approx. 44 W*1<br>Sleep mode: Approx. 2.0W*2, Approx. 1.0W*3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Modem Speed</b>                            | Super G3: 33.6 kbps<br>G3: 14.4 kbps                                                                                                                                                                                                                                                                   |                                              | *1 Reference value: measured one unit<br>* Wireless LAN power serve mode OFF<br>* Wireless LAN power serve mode ON<br>*3 Sleep mode is not available in all circumstances due to<br>certain settings.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Compression Method</b>                     | MH, MR, MMR, JBIG                                                                                                                                                                                                                                                                                      |                                              | Typical Electricity Consumption (TEC)*:<br>0.32 kWh<br>Note:<br>As per US Energy Star 3.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Resolution (dpi)</b>                       | 400 x 400 (Ultrafine), 200 x 400 (Superfine),<br>200 x 200 (Fine), 200 x 100 (Normal)                                                                                                                                                                                                                  |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Sending/Receiving Size</b>                 | *                                                                                                                                                                                                                                                                                                      | <b>Noise levels (BW/CL)</b>                  | <u>Sound Power Level (LWA,m)</u><br>Active (1-sided) : 6.0B*1, 0.3B*1<br><br><u>Sound Pressure Level (LpAm)</u><br>Bystander's position:<br>Active (1-sided) : 46 dB*1<br><br>*1 Reference value: measured only one unit with ISO7779,<br>described with ISO9296:2017<br>Blue Angel (Applied for)                                                                                                                                                                                                                                                                                                                        |
| <b>FAX memory</b>                             | * Up to 30,000                                                                                                                                                                                                                                                                                         |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Speed dials</b>                            | pages Max. 200                                                                                                                                                                                                                                                                                         |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Group dials/destinations</b>               | Max. 199 dials Max.                                                                                                                                                                                                                                                                                    |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Sequential broadcast</b>                   | 256 addresses Yes                                                                                                                                                                                                                                                                                      |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Memory backup</b>                          |                                                                                                                                                                                                                                                                                                        |                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Fax Features</b>                           | Sender's Name (TTI), Direct Send, Delayed Send,<br>Preview, Job Done Notice, TX Report, Interrupt<br>Transmission, Sequential Broadcasting,<br>Password/Subaddress Sending, Confidential<br>Mailbox                                                                                                    | <b>Standards</b>                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>STORE SPECIFICATIONS</b>                   |                                                                                                                                                                                                                                                                                                        | <b>CONSUMABLES</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Memory Media</b>                           | Standard: USB Memory                                                                                                                                                                                                                                                                                   | <b>Toner *1</b>                              | GPR-66 Toner BK/C/M/Y<br>GPR-66L Toner C/M/Y                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|                                               |                                                                                                                                                                                                                                                                                                        | <b>Toner Yield</b>                           | GPR-66 Toner<br>BK: 38,000 pages<br>GPR-66 Toner<br>C/M/Y: 25,500 pages<br>GPR-66L Toner<br>C/M/Y: 11,000 pages<br><br>*1 GPR-66L Toner also available for Colour (C, M, Y), Yield<br>(estimated @ 5% coverage) is 11,000 images                                                                                                                                                                                                                                                                                                                                                                                         |

**Canon**

TECHNICAL  
SPECIFICATIONS

imageRUNNER C3326i

**SOFTWARE AND  
PRINTER MANAGEMENT**

Tracking and reporting  
Remote management  
tools

Scanning software

uniFLOW Online Express  
iW Management Console  
eMaintenance  
Content Delivery System  
ScanGear

**HARDWARE  
ACCESSORIES**

Card Readers  
Others

IC Card Reader Attachment-B4

**SYSTEM AND  
CONTROLLER OPTIONS**

Print Accessories

Data Storage  
Send Options

PCL International Font Set-A1  
PS Printer Kit-CS1  
Optional Data Storage Kit-A1  
Universal Send Trace & Smooth PDF Kit-A1  
Universal Send Digital User Signature Kit-C1  
Barcode Printing Kit-D1  
Copy Control Interface Kit-D1  
Super G3 FAX Board-BN1  
Remote Fax Kit-A1

Barcode Printing  
System Accessories  
Fax Accessories

**OTHER OPTIONS**

Accessibility Accessories

Staple Cartridges

ADF Access Handle-A1  
Staple-P1

Software & Solutions



Compatibility



Canon Canada  
canon.ca  
English edition  
© Canon Canada Inc, 2023